


UTENSILI AD INNESTO INTERCHANGEABLE HEADS

GONIOMETRI UNIVERSALI PER IL SERRAGGIO COPPIA-ANGOLO "TURN OF NUT METHOD" PROTRACTOR



Modello Model	<input type="checkbox"/>	Magnete Magnetic	Pinza Clip
GM 1/2"	1/2"	•	
GP 1/2"	1/2"		•
GM 3/4"	3/4"	•	
GP 3/4"	3/4"		•

CRICCHETTI RATCHET ATTACHMENTS



Modello Model		
100R 1/4"	1/4"	Reversibile 60 denti - Reversible 60 teeth
100R 3/8"	3/8"	Reversibile 60 denti - Reversible 60 teeth
100R 1/2"	1/2"	Reversibile 72 denti - Reversible 72 teeth
100R 3/4"	3/4"	Reversibile 60 denti - Reversible 60 teeth
100R 1"	1"	Solo uso destro - Only right use

INSERTI CROWFOOT CROWFOOT WRENCHES



Modello Model	mm	<input type="checkbox"/>	Modello Model	mm	<input type="checkbox"/>	Modello Model	mm	<input type="checkbox"/>
928.10	10	3/8"	929.33	33	1/2"	938.17	17	3/8"
928.11	11	3/8"	929.34	34	1/2"	938.19	19	3/8"
928.12	12	3/8"	929.35	35	1/2"	938.21	21	3/8"
928.13	13	3/8"	929.36	36	1/2"	938.22	22	3/8"
928.14	14	3/8"	929.38	38	1/2"	939.20	20	1/2"
928.15	15	3/8"	929.41	41	1/2"	939.21	21	1/2"
928.17	17	3/8"	929.43	43	1/2"	939.22	22	1/2"
928.19	19	3/8"	929.46	46	1/2"	939.23	23	1/2"
928.21	21	3/8"	929.48	48	1/2"	939.24	24	1/2"
928.22	22	3/8"	929.50	50	1/2"	939.25	25	1/2"
928.24	24	3/8"	938.10	10	3/8"	939.26	26	1/2"
929.27	27	1/2"	938.11	11	3/8"	939.27	27	1/2"
929.29	29	1/2"	938.13	13	3/8"	939.28	28	1/2"
929.30	30	1/2"	938.14	14	3/8"	939.30	30	1/2"
929.32	32	1/2"	938.15	15	3/8"	939.32	32	1/2"

UTENSILI AD INNESTO INTERCHANGEABLE HEADS

BUSSOLE 1/2" CON INSERTO PER VITI CON IMPRONTA ESAGONALE SOCKETS FOR INHEX SCREW



Modello Model	Hex Icon
940.4	4
940.5	5
940.6	6
940.8	8
940.10	10
940.12	12

PORTA INSERTI BITS HOLDER



Modello Model	Hex 1	Hex 2
909.1/4	1/4"	1/4"
909.3/8	3/8"	1/4"
909.1	3/8"	5/16"
909.2	1/2"	5/16"

INSERTI BITS



Modello Model	mm	Hex Icon
909.1/4.3	3	1/4"
909.1/4.4	4	1/4"
909.1/4.5	5	1/4"
909.1/4.6	6	1/4"
909.1/4.8	8	1/4"
909.1/4.10	10	1/4"

Modello Model	mm	Hex Icon
909.3	3	5/16"
909.4	4	5/16"
909.5	5	5/16"
909.6	6	5/16"
909.8	8	5/16"
909.10	10	5/16"

BUSSOLE CON BOCCA ESAGONALE SOCKETS



Modello Model	Hex 1	Hex 2
907.8	8	3/8"
907.9	9	3/8"
907.10	10	3/8"
907.11	11	3/8"
907.12	12	3/8"
907.13	13	3/8"
907.14	14	3/8"
907.15	15	3/8"
907.16	16	3/8"
907.17	17	3/8"
907.18	18	3/8"

Modello Model	Hex 1	Hex 2
908.10	10	1/2"
908.11	11	1/2"
908.12	12	1/2"
908.13	13	1/2"
908.14	14	1/2"
908.15	15	1/2"
908.16	16	1/2"
908.17	17	1/2"
908.18	18	1/2"
908.19	19	1/2"
908.20	20	1/2"

Modello Model	Hex 1	Hex 2
908.21	21	1/2"
908.22	22	1/2"
908.23	23	1/2"
908.24	24	1/2"
908.25	25	1/2"
908.26	26	1/2"
908.27	27	1/2"
908.28	28	1/2"
908.29	29	1/2"
908.30	30	1/2"
908.32	32	1/2"

UTENSILI AD INNESTO INTERCHANGEABLE HEADS

INSERTI A FORCHETTA OPEN END



Modello Model	mm	Attacco Drive	Modello Model	mm	Attacco Drive
901.7	7	9x12	902.13	13	14x18
901.8	8	9x12	902.14	14	14x18
901.9	9	9x12	902.15	15	14x18
901.10	10	9x12	902.16	16	14x18
901.11	11	9x12	902.17	17	14x18
901.12	12	9x12	902.18	18	14x18
901.13	13	9x12	902.19	19	14x18
901.14	14	9x12	902.21	21	14x18
901.15	15	9x12	902.22	22	14x18
901.16	16	9x12	902.23	23	14x18
901.17	17	9x12	902.24	24	14x18
901.18	18	9x12	902.27	27	14x18
901.19	19	9x12	902.30	30	14x18
901.21	21	9x12	902.32	32	14x18
901.22	22	9x12	902.34	34	14x18
901.24	24	9x12	902.36	36	14x18
901.27	27	9x12	902.38	38	14x18
901.30	30	9x12	902.41	41	14x18
901.32	32	9x12			
901.36	36	9x12			

Modello Model	..	Attacco Drive	Modello Model	..	Attacco Drive
901.1/4"	1/4	9x12	902.1/2"	1/2	14x18
901.5/16"	5/16	9x12	902.9/16"	9/16	14x18
901.3/8"	3/8	9x12	902.5/8"	5/8	14x18
901.7/16"	7/16	9x12	902.11/16"	11/16	14x18
901.1/2"	1/2	9x12	902.3/4"	3/4	14x18
901.9/16"	9/16	9x12	902.13/16"	13/16	14x18
901.5/8"	5/8	9x12	902.7/8"	7/8	14x18
901.11/16"	11/16	9x12	902.15/16"	15/16	14x18
901.3/4"	3/4	9x12	902.1"	1	14x18
			902.1-1/8"	1 1/8	14x18

INSERTI POLIGONALI RING END



Modello Model	mm	Attacco Drive	Modello Model	mm	Attacco Drive
903.7	7	9x12	904.13	13	14x18
903.8	8	9x12	904.14	14	14x18
903.10	10	9x12	904.15	15	14x18
903.11	11	9x12	904.16	16	14x18
903.12	12	9x12	904.17	17	14x18
903.13	13	9x12	904.18	18	14x18
903.14	14	9x12	904.19	19	14x18
903.15	15	9x12	904.21	21	14x18
903.16	16	9x12	904.22	22	14x18
903.17	17	9x12	904.24	24	14x18
903.18	18	9x12	904.27	27	14x18
903.19	19	9x12	904.30	30	14x18
			904.32	32	14x18
			904.34	34	14x18
			904.36	36	14x18

Modello Model	..	Attacco Drive	Modello Model	..	Attacco Drive
903.1/4"	1/4	9x12	904.1/2"	1/2	14x18
903.5/16"	5/16	9x12	904.9/16"	9/16	14x18
903.3/8"	3/8	9x12	904.5/8"	5/8	14x18
903.7/16"	7/16	9x12	904.11/16"	11/16	14x18
903.1/2"	1/2	9x12	904.3/4"	3/4	14x18
903.9/16"	9/16	9x12	904.13/16"	13/16	14x18
903.5/8"	5/8	9x12	904.7/8"	7/8	14x18
903.11/16"	11/16	9x12	904.15/16"	15/16	14x18
903.3/4"	3/4	9x12	904.1"	1	14x18
903.13/16"	13/16	9x12			
903.7/8"	7/8	9x12			

INSERTI POLIGONALI APERTI OPEN RING END



Modello Model	mm	Attacco Drive
913.10	10	9x12
913.11	11	9x12
913.13	13	9x12
913.14	14	9x12
913.16	16	9x12
913.17	17	9x12
913.18	18	9x12
913.19	19	9x12
913.21	21	9x12

UTENSILI AD INNESTO INTERCHANGEABLE HEADS

INSERTI A CRICCHETTO RATCHETS



Modello Model	Attacco Drive
905.1	3/8" 9x12
905.2	1/2" 9x12
905.3	1/2" 14x18
905.4	3/4" 14x18
905.5	1/4" 9x12

INSERTI PER GHIERE ER-DIN6499 WRENCH FOR ER NUT TYPE




Modello Model	Dimensioni Dimensions	Attacco Drive
950.16	ER16	14x18
950.20	ER20	14x18
950.25	ER25	14x18
950.32	ER32	14x18
950.40	ER42	14x18

CHIAVI A SETTORE HOOK WRENCHES



Modello Model	Dimensioni Dimensions	Attacco Drive
965.32	32 ± 5	14x18
965.42	43 ± 5	14x18
965.50	50 ± 5	14x18
965.60	60 ± 5	14x18
965.64	63,2 ± 5	14x18
965.72	72 ± 5	14x18
965.82	82 ± 5	14x18

TESTE SALDABILI AD INNESTO WELDABLE HEAD



Modello Model	Attacco Drive
970.13	9x12
970.14	14x18